



INTERSTATE PRODUCTS, INC.
511 Interstate Court
Sarasota, FL 34240
800-IPI-SAY HI www.IPISAYHI.com fax 800-44-TO-FAX

MATERIAL SAFETY DATA

1.) PRODUCT INFORMATION

DATE September 20, 1999	HMIS Hazard Rating
Trade Name INSECT TOWELS #1540	Least 0 Health 1
A TOTAL SOLUTIONS PRODUCT	Slight 1 Flammable 1
Chemical Name and Synonyms NA	Moderate 2 Reactivity 0
CAS Registry No. See below for individual ingredients	High 3
EMERGENCY TELEPHONE 414-354-6417	Extreme 4

2.) HAZARDOUS INGREDIENTS

<u>Principal Hazardous Components</u>	<u>CAS REG. NO.</u>	<u>OSHA PEL</u>	<u>ACGIH TLV</u>	<u>EPA 40 CFR:</u> <u>302</u> <u>355</u> <u>372</u>	<u>APPROX.</u> <u>%</u>
Isopropanol	67-63-0	400ppm	400ppm	N N N	45.0 - 55.0

3.) PHYSICAL DATA

Boiling Point.....ND	Specific Gravity (Water =1).....0.91
Vapor Pressure (mm Hg).....ND	VOC Content (%by weight).....45.0 - 50.0
Vapor Density (Air=1).....ND	Evaporation Rate (Water=1).....>1.0
Solubility in Water.....Soluble	pH.....NA
Appearance and Odor.....White cloth impregnated with a clear, colorless liquid; Alcohol odor.	

4.) FIRE AND EXPLOSION HAZARD DATA

Flash Point.....53°F	Flammable Limits in Air (volume %)
(test method).....Closed Cup	Upper: NA Lower: NA

Extinguishing Media.....Water, foam, Carbon Dioxide, dry chemical

Special Fire Fighting Procedures.....Cool fire exposed containers with water fog. Firefighters should be equipped with full protective gear, including a self-contained breathing apparatus.

Unusual Fire and Explosion Hazard.....None

KEY:

C.....Ceiling Level	PEL.....Permissible Exposure Limit
TLV.....Threshold Limit Value	STEL.....Short Term Exposure Limit
NA.....Not Applicable	ND.....Not Determined
Y.....Yes	N.....No

302: CERCLA List of Hazardous Substances and Reportable Quantities (40 CFR 302.4)

355: SARA TITLE III List of Extremely Hazardous Substances for Emergency Planning & Notification (40 CFR 355)

data, or the results to be obtained from the use thereof is made. The supplier assumes no responsibility for injury or damages resulting from the inappropriate use of this product.