



"Quality Environmental Solutions"

INTERSTATE PRODUCTS, INC.

511 Interstate Court
Sarasota, FL 34240
800-IPI-SAY HI www.IPISAYHI.com fax 800-44-TO-FAX

MATERIAL SAFETY DATA

1.) PRODUCT INFORMATION

Date MARCH 1990
Trade Name TRACTION N MORE #20-22, 689 (PART A)
Chemical Name and Synonyms
Manufactured For Interstate Products, Inc.
CAS Registry No. See below for individual ingredients
EMERGENCY TELEPHONE 800-282-7769

2.) HAZARDOUS INGREDIENTS

HAZARDOUS COMPONENTS (Reaction Products of)	CAS REG. NO.	OPT WT %	PEL/TLV
Epichlorohydrin & Bisphenol A	025085-99-8	83	NA
Alkyl Glycidyl Ether	068609-97-2	17	NA

*NOTE: This product is subject to Selections 311 and 312 of the Superfund Amendment and Reauthorization Act of 1986 (SARA Title III)

3.) PHYSICAL DATA

Boiling Point.....>300°F	Specific Gravity (Water = 1).... 1.11
Vapor Pressure (mm Hg).... 0.06mm @ 70°F	Melting Point.....NA
Vapor Density (Water = 1).....NA	Evaporation Rate.....NA (Butyl Acetate = 1)
Solubility in Water.....None	Appearance and Odor.....Clear, light yellow liquid - low viscosity - faint epoxy odor

4.) FIRE AND EXPLOSION HAZARD DATA

Flash Point (Method Used).....350°F
Flammable Limits.....NA
Extinguishing Media.....Foam, CO₂, Dry Chemical
Special Fire Fighting Procedures.....Wear positive pressure, self-contained breathing apparatus during fire fighting.
Unusual Fire and Explosion Hazards.....None

5.) STABILITY

Stability.....Stable
Conditions to Avoid.....Excessive heating over long periods of time degrades resin. Freezing may cause a temporary haziness to develop. Fire conditions increase viscosity and Epoxide equivalent weight.
Incompatibility (materials to avoid).....Base (as opposed to acids).
Hazardous Decomposition or Byproducts.....Under conditions of imperfect combustion and/or pyrolysis various phenolic compounds CO and /or CO₂ may be evolved.

Hazardous Polymerization.....Will Not Occur
Conditions to Avoid.....Will not occur by itself, but masses of more than one pound of product plus an Aliphatic Amine will cause irreversible polymerization with considerable heat build up.

6.) HEALTH HAZARD DATA

Inhalation.....No

Not likely to cause irritation

Skin.....No

May cause allergic reaction, not likely to cause irritation.

Ingestion.....Yes

Single dose oral toxicity is low (for rats >2000mg/kg), not likely to cause injury.

Eyes.....No

May cause slight, temporary irritation.

Carcinogenicity.....A poorly characterized sample of low molecular weight Diglycidyl Ether of Bisphenol A has been reported to produce skin cancer in a highly sensitive strain of mice. However, high levels of impurities (including a known animal skin carcinogen) compromise the validity of the findings. Diglycidyl Ether of Bisphenol A that is representative of current manufacturing processes is not believed to be a cancer hazard to humans. Results of mutagenicity tests on components have been negative in animals and negative in some *in vitro* tests and positive in others.

Medical Conditions Generally Aggravated by Exposure.....Allergies

Emergency and First Aid Procedures:

Eyes.....Irrigate with water for at least 15 minutes.

Skin.....Wash off with water.

Ingestion.....Induce vomiting. If large amounts are ingested, consult a physician.

Inhalation.....Remove to fresh air. If effects occur, consult a physician.

7.) SAFE HANDLING AND USE

Material Released or Spilled.....Soak up with absorbent or scrape up. Residue may be removed with hot, soapy water.

Waste Disposal Method.....Burn in adequate incinerator or bury in approved landfill.

Storing and Handling.....Keep from freezing.

8.) CONTROL MEASURES

Respiratory Protection.....Respiratory equipment should not be necessary. If respiratory irritation is experienced, use an approved air-purifying respirator.

Ventilation.....Local exhaust may be necessary.

Protective Gloves.....Will depend on operation

Eye Protection.....Safety glasses.

Other Protective Clothing or Equipment.....Wear clean, long-sleeved, body covering clothing. Selection of specific items such as boots, gloves, apron, etc. will depend on operation.

Work Hygienic Practices.....Avoid breathing vapors of heated material.

NOTICE: The information contained on this Material Safety Data Sheet is considered accurate as of the date of publication. It is not necessarily all inclusive nor fully adequate in every circumstance. The suggestions should not be confused with, nor followed in violation of applicable laws, regulations, rules or insurance requirements. No warranty, express or implied, of merchantability, fitness, accuracy of data, or the results to be obtained from the use thereof is made. The supplier assumes no responsibility for injury or damages resulting from the inappropriate use of this product.



Quality Environmental Solutions

INTERSTATE PRODUCTS, INC.

511 Interstate Court
Sarasota, FL 34240
800-IPI-SAY HI www.IPISAYHI.com fax 800-44-TO-FAX

MATERIAL SAFETY DATA

1.) PRODUCT INFORMATION

Date MARCH 1990
Trade Name TRACTION N MORE (PART B)
Chemical Name and Synonyms
Manufactured For Interstate Products, Inc.
CAS Registry No. See below for individual ingredients

2.) HAZARDOUS INGREDIENTS

HAZARDOUS COMPONENTS	CAS REG. NO.	OPT WT %	PEL/TLV
Tetraethylenepentamine	112-57-2	-	NA

3.) PHYSICAL DATA

Boiling Point.....Decomposes	Specific Gravity (Water = 1).... 0.905
Vapor Pressure (mm Hg).... NA	Melting Point.....NA
Vapor Density (Water = 1).....NA	Evaporation Rate.....NA
Solubility in Water.....None	(Butyl Acetate = 1)
Appearance and Odor.....Amber liquid with amine odor	

4.) FIRE AND EXPLOSION HAZARD DATA

Flash Point (Method Used).....>100°C Flammable Limits.....NA
Extinguishing Media.....Foam, Carbon Dioxide, Dry Chemical
Special Fire Fighting Procedures.....Cool Containers exposed to flame with water. Wear full protective gear and NIOSH/MSHA approved self-contained breathing apparatus.
Unusual Fire and Explosion Hazards.....None

5.) STABILITY

Stability.....Stable
Conditions to Avoid.....None
Incompatibility (materials to avoid).....Strong oxidizers, acids.
Hazardous Decomposition or Byproducts.....CO, CO2, NOX as a result of thermal decomposition.

Hazardous Polymerization.....Will Not Occur
Conditions to Avoid.....None.

6.) HEALTH HAZARD DATA

Inhalation..... Yes

Vapors may irritate nose and upper respiratory tract.

Skin.....No

Prolonged and repeated contact may cause irritation; allergic reaction.

Ingestion.....Yes

May cause gastrointestinal distress or irritation.

Eyes.....Yes

Vapors may irritate; liquid may cause severe irritation with possible irreversible injury.

Carcinogenicity:

NTP.....No

IARC Monographs.....No

OSHA Regulated.....No

Medical Conditions Generally Aggravated by Exposure.....Allergic Conditions.

Emergency and First Aid Procedures:

Eyes.....Flush with water, see physician if necessary.

Skin.....Wash off with water.

Ingestion.....Get immediate medical attention.

Inhalation.....Remove to fresh air and contact a physician.

7.) SAFE HANDLING AND USE

Material Released or Spilled.....Absorb with sand, earth or vermiculite. Collect into containers for disposal. Keep away from sewers and public water.

Waste Disposal Method.....According to Federal, State and local authorities.

Storing and Handling.....Store in cool, dry place away from heat and strong oxidizers. Do not roll drum.

Other Precautions.....Emptied container retains product residue and vapors. Do not cut, drill, grind, or weld on or near this container.

8.) CONTROL MEASURES

Respiratory Protection.....If working in a confined area or at elevated temperatures, an organic vapor canister type respirator is recommended.

Protective Gloves.....Rubber or polyethylene

Eye Protection.....Chemical splash proof goggles.

Other Protective Clothing or Equipment.....Eye wash fountain and safety shower.

Work Hygienic Practices.....Wash thoroughly after handling.

NOTICE: The information contained on this Material Safety Data Sheet is considered accurate as of the date of publication. It is not necessarily all inclusive nor fully adequate in every circumstance. The suggestions should not be confused with, nor followed in violation of applicable laws, regulations, rules or insurance requirements. No warranty, express or implied, of merchantability, fitness, accuracy of data, or the results to be obtained from the use thereof is made. The supplier assumes no responsibility for injury or damages resulting from the inappropriate use of this product.



"Quality Environmental Solutions"

INTERSTATE PRODUCTS, INC.

511 Interstate Court
Sarasota, FL 34240
800-IPI-SAY HI www.IPISAYHI.com fax 800-44-TO-FAX

MATERIAL SAFETY DATA

1.) PRODUCT INFORMATION

Date MARCH 1990
Trade Name TRACTION N MORE (SAND)
Chemical Name and Synonyms
Manufactured For Interstate Products, Inc.
CAS Registry No. See below for individual ingredients

2.) HAZARDOUS INGREDIENTS

HAZARDOUS COMPONENTS	CAS REG. NO.	OSHA PEL	ACHIH TLV
Silicon Dioxide SiO ₂	14808-60-7	10 mg/m ³ 8 hr TWA	0.1 mg/m ³ 10 hr TWA

3.) PHYSICAL DATA

Boiling Point.....4046°F	Specific Gravity (Water = 1).... 2.65
Vapor Pressure (mm Hg).....None	Melting Point.....3050°C
Vapor Density (Water = 1).....None	Evaporation Rate.....None (Butyl Acetate = 1)
Solubility in Water.....Insoluble	
Appearance and Odor.....White or tan sand, granular; odorless	

4.) FIRE AND EXPLOSION HAZARD DATA

Flash Point (Mehtod Used).....None
Extinguishing Media.....None required. Sand may be used as an extinguishing media.
Special Fire Fighting Procedures.....NA
Unusual Fire and Explosion Hazards.....NA

5.) STABILITY

Stability.....Stable
Conditions to Avoid.....None
Incompatibility (materials to avoid).....Contact with powerfuoo oxidizing agents such as Flourine may cause fires.
Hazardous Decomposition or Byproducts..... Silica will dissolve in Hydrofluoric Acid and produce a corrosive gas (Silicon Tetrafluoride).
Hazardous Polymerization.....Will Not Occur
Conditions to Avoid.....None.

6.) HEALTH HAZARD DATA

Inhalation.....Yes

Prolonged exposure to respirable Crystalline Quartz may cause delayed, chronic lung injury (Silicosis).

Skin.....No

Not likely to cause irritation.

Ingestion.....No.

Not likely to cause irritation.

Eyes.....No

May cause slight, temporary irritation.

Carcinogenicity:

NTP.....No

IARC Monographs.....Yes

OSHA Regulated.....No

IARC concludes that there is sufficient evidence for the carcinogenicity of Crystalline Silica to experimental animals, and that there is limited evidence of the Carcinogenicity to humans.

Medical Conditions Generally Aggravated by Exposure.....Respiratory and pulmonary disorders.

Smoking aggravates the effects of exposure.

Emergency and First Aid Procedures:

Eyes.....Irrigate with water. If irritation persists, consult a physician.

Inhalation.....For gross inhalation, remove to fresh air, give artificial respiration as needed and seek medical attention.

7.) SAFE HANDLING AND USE

Material Released or Spilled.....Vacuum and place into closable container for disposal, or flush with water. Do NOT dry sweep.

Waste Disposal Method.....In accordance with Federal, State and local ordinances.

Storing and Handling.....Avoid breakage and dusting.

8.) CONTROL MEASURES

Respiratory Protection.....When particulate concentration is up to five times PEL, use any NIOSH or MSHA approved respirator.

Ventilation.....Local exhaust.

Protective Gloves.....Optional.

Eye Protection.....Safety glasses.

Other Protective Clothing or Equipment.....Optional.

Work Hygienic Practices.....Avoid creating and breathing dust.

NOTICE: The information contained on this Material Safety Data Sheet is considered accurate as of the date of publication. It is not necessarily all inclusive nor fully adequate in every circumstance. The suggestions should not be confused with, nor followed in violation of applicable laws, regulations, rules or insurance requirements. No warranty, express or implied, of merchantability, fitness, accuracy of data, or the results to be obtained from the use thereof is made. The supplier assumes no responsibility for injury or damages resulting from the inappropriate use of this product.